Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	browser and (ssl) with (notify$3) and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 13:39
L4	88	(authenticat$5) with (notify$3) and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 13:39
L5	43	(authenticat$5) with (notify$3) same (user client$1 pc) and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 13:49
L6	0	"6901251.p.n"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 13:49
L7	0	"6901251.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 13:49
L8	4	"6901251".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 13:49
L11	1399	455/411,158.4,158.5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:13
L12	0	455/411.ccls. and 455/158.4,158.5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:13
L13	0	455/411,158.4,158.5.ccls. and 715/517.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:13

L14	5	455/411,158.4,158.5.ccls. and "715"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:13
S1	5122	709/225,203,206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/16 15:51
S2	19	709/225,203,206.ccls. and (wireless mobile) with display$3 same (authentic$5 authoriz$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:41
S3	55	(display$3) same ("not" cannot) with (alter$3 edit$3) and "709"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/16 17:55
S4	13	("5537526" | "5806079" | "5826025" | "5860074" | "5898836" | "5905863" | "5907681" | "5913212" | "5930471" | "6012087" | "6026396" | "6041335" | "6209100").PN.	USPAT	OR	OFF	2003/04/16 16:15
S5	541	(display$3) same ("not" cannot) with (alter$3 edit$3) and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/16 18:34
S6	0	"6385655".URPN.	USPAT	OR	OFF	2003/04/16 16:22
S7	39	("4532588" | "4713780" | "4754428" | "4837798" | "5008814" | "5210824" | "5293250" | "5404231" | "5406557" | "5416842" | "5424724" | "5495610" | "5513126" | "5550984" | "5608874" | "5675507" | "5677955" | "5706442" | "5708780" | "5710883" | "5727156" | "5751956" | "5758343" | "5764906" | "5778372" | "5781901" | "5790790" | "5790793" | "5793972" | "5805719" | "5812776" | "5845084" | "5850442" | "5855020" | "5860068" | "5903723" | "5923846" | "5948062" | "6122661").PN.	USPAT	OR	OFF	2003/04/16 16:22

S8	2	tsi adj tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/16 17:59
S9	0	"1054543".URPN.	USPAT	OR	OFF	2003/04/16 17:56
S10	0	"2001043175".URPN.	USPAT	OR	OFF	2003/04/16 17:57
S11	2	trusted adj site adj indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/16 18:33
S12	60	electronic with ticket with deliver$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/16 18:34
S13	27	(electronic with ticket with deliver$3) and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/16 18:35
S14	2	(electronic with ticket with deliver$3) and read$1only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/16 19:08
S15	0	"6463534".URPN.	USPAT	OR	OFF	2003/04/16 18:37
S16	8	("5659616" | "5671279" | "5712914" | "5796841" | "5878144" | "5884158" | "5903878" | "5987440").PN.	USPAT	OR	OFF	2003/04/16 18:37
S17	2	"6223291".URPN.	USPAT	OR	OFF	2003/04/16 18:43
S18	6	("5138712" | "5260999" | "5579222" | "5671412" | "5758069" | "5758088").PN.	USPAT	OR	OFF	2003/04/16 18:43
S19	42	"4713837".URPN.	USPAT	OR	OFF	2003/04/16 18:55
S20	0	"104859".URPN.	USPAT	OR	OFF	2003/04/16 19:01
S21	4	"9909502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/16 19:10
S22	4	"9632700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/16 19:13

S23	13	"9411849"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/16 19:14
S24	4	"0848343"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 08:46
S25	36	hitachi and @pd="19980617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 08:50
S26	2	"9847116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 08:55
S27	0	"9847116".URPN.	USPAT	OR	OFF	2003/04/17 08:54
S28	5	"9745814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 08:57
S29	6	"713198"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 09:04
S30	11	"950968"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 09:03
S31	0	"713198".URPN.	USPAT	OR	OFF	2003/04/17 09:04
S32	43	electronic adj ticket with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 09:05
S33	16	(electronic adj ticket with display) and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 09:05

S34	21	(US-6233577-$ or US-6292833-$ or US-6438564-$ or US-6385655-$ or US-5850442-$ or US-5793972-$ or US-5727156-$ or US-5677955-$ or US-6463534-$ or US-5987440-$ or US-5903878-$ or US-5878144-$ or US-5758088-$ or US-6442532-$ or US-6223166-$ or US-5754654-$).did. or (US-20020059363-$).did. or (WO-9847116-$ or EP-950968-$).did. or (FI-104859-$ or WO-9904532-$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2003/04/17 10:24
S35	0	((US-6233577-$ or US-6292833-$ or US-6438564-$ or US-6385655-$ or US-5850442-$ or US-5793972-$ or US-5727156-$ or US-5677955-$ or US-6463534-$ or US-5987440-$ or US-5903878-$ or US-5878144-$ or US-5758088-$ or US-6442532-$ or US-6223166-$ or US-5754654-$).did. or (US-20020059363-$).did. or (WO-9847116-$ or EP-950968-$).did. or (FI-104859-$ or WO-9904532-$).did.) and identify$3 with server with add$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 10:26
S36	0	((US-6233577-$ or US-6292833-$ or US-6438564-$ or US-6385655-$ or US-5850442-$ or US-5793972-$ or US-5727156-$ or US-5677955-$ or US-6463534-$ or US-5987440-$ or US-5903878-$ or US-5878144-$ or US-5758088-$ or US-6442532-$ or US-6223166-$ or US-5754654-$).did. or (US-20020059363-$).did. or (WO-9847116-$ or EP-950968-$).did. or (FI-104859-$ or WO-9904532-$).did.) and identify$3 with server with append$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 10:26

S37	3	((US-6233577-$ or US-6292833-$ or US-6438564-$ or US-6385655-$ or US-5850442-$ or US-5793972-$ or US-5727156-$ or US-5677955-$ or US-6463534-$ or US-5987440-$ or US-5903878-$ or US-5878144-$ or US-5758088-$ or US-6442532-$ or US-6223166-$ or US-5754654-$).did. or (US-20020059363-$).did. or (WO-9847116-$ or EP-950968-$). did. or (FI-104859-$ or WO-9904532-$).did.) and server with append$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 10:53
S38	25	"504643"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 12:57
S39	6	((US-6233577-$ or US-6292833-$ or US-6438564-$ or US-6385655-$ or US-5850442-$ or US-5793972-$ or US-5727156-$ or US-5677955-$ or US-6463534-$ or US-5987440-$ or US-5903878-$ or US-5878144-$ or US-5758088-$ or US-6442532-$ or US-6223166-$ or US-5754654-$).did. or (US-20020059363-$).did. or (WO-9847116-$ or EP-950968-$). did. or (FI-104859-$ or WO-9904532-$).did.) and address with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/17 12:57
S40	19	"5754654".URPN.	USPAT	OR	OFF	2004/01/26 11:25
S41	5075491	de boor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 14:05
S42	129	de adj boor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 14:05
S43	3	"9959283"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 15:36

S44	2	"9959283" and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 15:36
S45	215	(authentic$5 near2 (information data) with (display$3)) and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:43
S46	66	(authentic$5 near2 (information data) with (display$3)).ab. and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:18
S47	118	"713"/$.ccls. and "715"/$.ccls. and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:46
S48	20	("6018724").URPN.	USPAT	OR	OFF	2005/07/21 18:02
S49	11	("5991618" | "6018724" | "6216014" | "6249584" | "6356753" | "6367014" | "6384850" | "6412021" | "6418326" | "6466783" | "6512923").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 18:05
S50	0	(authentic$5 near2 (indicator) with (display$3)).ab. and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:18
S51	14	(authentic$5 near2 (indicator)).ab. and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:22
S52	699	microsoft adj internet adj explorer and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:22
S53	420	microsoft adj internet adj explorer and (key lock authentication) and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:22

S54	103	microsoft adj internet adj explorer and (key lock) and (authentication) and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:27
S55	57	microsoft adj internet adj explorer and (ssl) and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:44
S56	14	browser and (ssl) with (indicator display$3) and @ad<"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:46
S57	106	browser and (ssl) with (indicator display$3) and @ad>"19990521"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 13:39